

Bratislava Medical Journal 2011; 112

Pages	Number
1— 48	1 (January)
49— 98	2 (February)
99— 156	3 (March)
157— 222	4 (April)
223— 304	5 (May)
305— 364	6 (June)
365— 420	7 (July)
421— 478	8 (August)
479— 534	9 (September)
535— 598	10 (October)
599— 658	11 (November)
659— 728	12 (December)

Key words index

- A**
- 24-hour ambulatory blood pressure monitoring 562
- abdomen 282
- abdominal adenocarcinoma 472
- incisional hernia 287
- obesity 253
- acetylcholine 539
- acetylcholinesterase 539
- acrylamide 44
- activated partial thromboplastin time 29
- recombinant factor VII 29
- active females 213
- hypothermia 92
- acute abdomen 282, 327
- bronchodilator effect 9
- motor axonal neuropathy 269
- non-varicose bleeding 327
- respiratory distress syndrome 29, 218
- swimming exercise 322
- symmetrical oligoarthritis 355
- transverse myelitis 154
- wounds 249
- adaptable ends technique 483
- adenocarcinoma 472, 510, 552
- adenoma 695
- adhesive capsulitis 204
- adolescents and obesity 491
- adult 530
- female rats 58
- life 651
- adults 346
- aerobic performance 213
- age 357
- ageing population 488
- age-related diseases 610
- AGEs 416
- AHA/NHLBI 253
- airflow 115, 136
- airway pressure 512
- airways inflammation 670
- albendazole therapy 287
- alfentanil 380
- alkaline phosphatase 626
- allergen 9
- allergic asthma 9
- allogeneic bone 290
- Althaea officinalis* L. 670
- ambulatory blood pressure measurement 125
- – – monitoring 63, 562
- ameliorates 545
- aminotransferase 568
- activity 568
- analgesia 497
- analgesic risk perception 140
- analgesics 140
- analytical determination 44
- anastomoses healing 309
- anastomosis 483
- androgen receptor 377
- anesthesia 459
- angiogenesis 143, 428
- angiogenic process 143
- ankaferd 676
- anorectal manometry 34
- anthropometric risk factors 491
- anti streptolysin O 29
- antibiotic 595
- therapy 177
- antibiotics 595
- antibodies against basal membrane of glomerules 29
- cytoplasm of neutrofiles 29
- double-files DNA 29
- antidiabetic treatment 441
- antihypertensive agents 562
- antiinflammatory agent 545
- drugs 390
- antimicrobial treatment 410
- antioxidative vitaminc 610
- antitussive activity 670
- drugs 131
- aorta 318
- apnoea/hypopnoea index 125
- appendectomies 619
- appendiceal carcinoids 619
- APUD system 80
- arterial blood gases 512
- hypertension 4, 8, 63, 614
- oxygen pressure 29
- arthritis 355
- arthrodesis 290
- arthroplasty 497
- Asperger syndrome 377
- asthma 9
- astrocytoma 342
- atherogenic lipoprotein profile 4, 8
- normolipemia 4, 8
- atherosclerosis 24, 491
- athletes 637
- atorvastatin 603
- atropine 539
- attention-deficit-hyperactivity disorder 377
- audiogram 63
- autism 58
- spectrum disorder 377
- autoimmune hypothyroidism 355
- thyroid disease 355
- autonomic nervous system 125
- autopsy 395
- axonal neuropathy 269

B

bacillus Calmette-Guerin 363
 backpack 41
 Bacopa monniera 663
 bed-days 595
 betaglucuronidase 161
 betathalassemia 278
 bilateral biventricular cardiac failure 586
 –breast cancer 589
 biochemistry 235
 biological materials 44
 –treatment 390
 biomarker-based diagnostic test 398
 biomarkers 398
 biomechanical analysis 41
 biomechanics 41
 biomedicine 428
 biotechnology 435
 birth 651
 bleeding 327, 676
 blood clotting view 630
 –pressure 125, 562
 – monitoring 63, 562
 –transfusion 575
 body mass index 402, 517
 – surface area 679
 – defects 655
 bone metabolism 322
 – mineral density 71
 – plates 501
 – turnover markers 71
 boron supplementation 322
 bowel disease 235
 –syndrome 34
 brain 67, 227, 398
 –tissue
 BRCA-1/BRCA-2 mutations 521
 breast 506
 –cancer 353, 521, 575, 589, 686
 breathing 125
 bronchoalveolar lavage 29

C

Caesarean section 459
 Cajal cells 13
 Calmette-Guerin 363
 cANCA 29
 cancer 296, 342, 435, 463, 521, 575, 589
 –(gene) therapy 428
 capsulitis 204
 carboxylation 71
 carcinoma 80, 115, 165, 363, 395, 619
 cardiac arrest 92

– failure 586
 cardiopulmonary resuscitation 92
 cardiovascular risk 24, 125, 453, 679
 – factors 253
 carotid endarterectomy 453
 –intima 24
 carpal tunnel 337
 – syndrome 337
 carrying a backpack 41
 cataract 701
 catecholamine 52
 CD56 208
 celiac disease 360
 cell number 52
 –staining 52
 centile curves 517
 cervical plexus block safe 453
 –thymectomy 385
 chemotherapy 296, 586
 childhood 530, 591
 –cancer 342
 children 524
 –age 346
 –and obesity 491
 –with lymphoma 192
 cholesterol 610
 cholinergic crisis 539
 chromatography 44
 chronic cough 102
 –fatigue syndrome 208
 –hepatitis C 360, 568
 –kidney disease 402
 –leg ulcers 447
 –obstructive pulmonary disease 24
 –renal failure 385
 –traumatization 407
 –wounds 249
 circadian rhythm 213
 class II alleles HLA-DQB₁* 0301 591
 classificartion tree 120
 clinical pharmacist 88
 –stage 630
 clorgyline 52
 coenzyme Q 603
 colitis 235
 colon 630
 –anastomoses 309
 –cancer 170, 161, 342
 colonic transit time 34
 colorectal cancer 630
 –surgery 309
 complex non-ECMO therapy 218
 computed tomography 170

computer tomography scan 29
 congenital adrenal hyperplasia 377, 651
 congress on obesity 152
 constipation 34
 content in the experiment
 continuous positive airway pressure 125
 COPD 24
 cough 102, 109, 115, 120
 –model 102
 –reflex 131, 136
 C-reactive protein 29, 610
 creatinine 402
 cricohyoidopexy 115
 crystalloids 459
 cutaneous neuroendocrine carcinoma 80
 cystatin C 192
 cytokines 208
 cytostatics 390

D

daily activities 120
 –timing 213
 damage 227
 defecation disorders 34
 defecography 34
 dentition 648
 desferriexamine 278
 des- γ -carboxyprothrombin 552
 devitalized teeth 410
 dexamethasone 332
 diabetes 253, 318
 –mellitus 416
 – type 2 441, 626, 711
 diabetic foot syndrome 177
 diagnosis in emergency department 469
 diagnostic difficulties 357
 dialysis 568
 different antipyretic treatment 227
 –aortallayers 318
 diffuse alveolar hemorrhage 29
 diosmin 545
 direct preoperative hydration 459
 disease activity 555
 –management 619
 disinfection rinse agents 410
 dissection 407
 distal approach 337
 DNA damage 447
 Doppler 77
 drug distribution 196
 –interaction 353
 –selection 196
 drugs 140

E

early surgical therapy 501
Echinococcus granulosus 287
echocardiography 679
ectopic supernumerary parathyroid 385
elbow joint 501
electrical activity of pylorus 13
electrocardiography 614
electromyography 115, 269
elements 322
elevated pulse pressure 562
elite athletes 637
embryo
emergency 398
– appendectomies 619
– department 469, 706
emergent 346
endarterectomy 453
end-diastolic diameter 679
– volume ejection fraction 679
endocarditis 29
endodontic microbiology 410
– therapy 410
endogenous hyperthermia 227
endoscopic haemostasis 327
endoscopy 706
endothelial cells 428
– NOS 18
ends technique 483
end-systolic volume 679
end-to-end microvascular anastomosis
483
enteropathy 360
ephedrine 459
epidemiology 346
epithelial cells 472
– ovarian tumors 579
– thymus stroma 368
erythema multiforme 260
erythrocyte deformability 605
estrogen receptor 353
etiologial clinical factors 273
European medical association 29
excess weight 711
exercise 314
exogenous surfactant 218
experiment 483
experimental allergic asthma 9
– animal 428
– colitis 235
– diabetes 318
– partial nephrectomy 676
external iliac artery 407

extirpation of submandibular gland 260
extracorporeal shock wave lithotripsy 380
extracranial meningioma 353

F

factor VII 29
farmacogenetics 390
father age 342
fatigue syndrome 208
female genital organs 244
– patient 353
– rats 605
fertility disorders 182
fetal anomalies 634
fetus 474
fibrocystic changes 506
fibrosis 626
finger ratio 377
FiO₂ 29
flap necrosis 575
flaxseed oil 161
folic acid 390
food 44
Food and drugs association – USA 29
– syndrome 177
fracture 501
frequent metabolic diseases 152
fresh frozen plasma 29
frozen shoulder 204

G

gain in visual acuity 701
gastric adenocarcinoma 510
gastroesophageal reflux 102
gastrointestinal adverse effects 390
– hemorrhage 706
– stromal tumor 623
gene expression 58
– therapy 428
general practitioners 140
genital organs 244
geometrically adaptable ends technique
483
germ cell cancer 296
germinal epithelium 425
gingivitis 416
global radial myocardial velocity 402
glomerular filtration rate 402
glomerulonephritis associated with
endocarditis 29
glottal carcinoma 115
glutamate decarboxylase 58
glutathione 67

glutensensitive enteropathy 360
glycemic control 416
goiter 395
Goodpasture's syndrome 29
graft material 249
granulomatosis disease 355
growth 517
– factor 655
GSTPI 67
Guillain-Barré syndrome 269
guinea pig 131, 670

H

H1N1 218
haemophilia A 360
HAQ 555
HbA1c 416
head adenocarcinoma 552
healthcare 488
heart function 402
– mitochondrial function 603
– rate variability 125
hematopoietic cells 428
hemodynamic parameters 512
hemorrhage 398, 676, 706
hemorrhagic-ischemic stroke 398
hepatectomy 545
hepatic reperfusion 545
hepatitis C 360
– type 2 diabetes 626
hepatotoxicity 390
hernia 287
high frequency component of spectral
heart rate analysis 125
– risk category 395
high-dose chemotherapy 296
hip arthroplasty 497
histochemistry 244
histopathology 235
home care 488
horse chestnut 161
hospital infections 273
hospitalist–pharmacist collaboration 88
HPLC detection 52
human 475
– activated recombinant factor VII 29
– cadavers 292
– diet 44
– embryo 368
– fetuses 475
– MMP 435
– thymus 368
– toxocariasis 644

- humerus 501
 –in adults 501
 hyaloids vessels 143
 hydatid cyst 287
 hyperbaric oxygenation 447
 hypercoagulation 630
 hyperglycemia 416
 hyperparathyroidism 385, 695
 hyperplasia 506
 hyperreactivity of the airways 9
 hypertension 125, 188, 253, 491, 562,
 614, 691, 711, 227
 hypertrophic pyloric stenosis 13
 hypospadias repair 530
 hypotension 459
 hypothermia 92
 IDF definitions 253
- I**
- idiopathic intracranial hypertension 691
 ileus 309
 iliac artery 407
 immunization 469
 immunohistochemistry 67, 80
 immunology 208
 incisional hernia 287
 induced hypertension 188
 –therapeutic hypothermia 92
 inducible NOS 18
 infected graft material 249
 –talus necrosis 290
 infection 575
 –control 410
 inflammation 670
 inflammatory bowel disease 235
 influenza A virus 218
 initial visit 204
 inspiratory fractional oxygen content 29
 insulin resistance 610
 integration 88
 intensive care unit 29, 527
 intermediate neuroendocrine carcinoma 80
 intestinal injury 545
 intestines 545
 intima-media thickness 24, 318
 intoxication 346
 –responsive 527
 intraarticular complex fractures 501
 intracranial hypertension 691
 intraoperative blood transfusion 575
 –detection 695
 intrapulmonary administration 29
 intrathecal analgesia 497
- intrathymic parathyroid 385
 intrathyroid metastasis 395
 invasive breast carcinoma 67
 irrigating solutions 410
 irritable bowel syndrome 34
 ischadic nerve 475
 ischemia reperfusion 545
 ischemic stroke 398
 isobaric spinal anesthesia 459
 isolated dissection 407
- J**
- judo 637
- K**
- kidney disease 402
 –function 402
- L**
- laparoscopy 282
 laryngeal conditions 102
 LD flap 686
 lean females 213
 left ventricle 679
 –ventricular diastolic dysfunction 614
 leg ulcers 447
 legislation 44
 leukemia 342
 lifestyle 152
 –factors 161
 lipid peroxidation 314
 lipids 4, 8
 lipopolysaccharide-induced endogenous
 hyperthermia 227
 lipoproteins 4, 8
 lithotripsy 380
 liver 287
 –abscess 644
 –disease 568
 –fibrosis 626
 –surgery 644
 –transplantation 545
 LMS method 517
 L-NAME 13
 local steroid injection 337
 Löfgrens syndrome 355
 long-term care 488
 low frequency component of spectral heart
 rate analysis 125
 lumbar area 29
 lung cancer 165, 174
 lymphoma 192
- M**
- magnetic resonance imaging 506, 679
 major α -thalassemia 278
 male infertility 182
 –patient 589
 malignant epithelial cells 472
 –– ovarian tumors 579
 –hemophthalmus 715
 –thymoma 586
 –tumours 630
 malondialdehyde 605
 mandibular incision 648
 MAO-A inhibitor 52
 maternal age 188
 matrix metalloproteinases 435
 mature teratoma 357
 MCC 80
 McKusick-Kaufman syndrome 524
 mechanical stimulation 109, 136
 mechanically ventilation 512
 median artery 292
 –nerve 337
 mediastinum 586
 medication costs 196
 medullar conus teratoma 357
 melanoma 466
 melatonin 425
 memantin HCL 527
 memory 663
 meningioma 353
 Merkel cells 80
 metabolic syndrome 253
 metachronous tumor 623
 metalloproteinases 435
 metastasis 395, 435
 metastatic germ cell cancer 296
 methods of cooling 92
 methotrexate 390
 microdeletions 182
 microorganism 410
 microvascular anastomosis 483
 middle ear surgery 332
 microalgae 235
 mineral density 71
 –oil 653
 minerals 322
 minimally invasive surgery 695
 mobility 701
 monoamine 52
 –oxidases 244
 morbidity 165
 morphium hydrochloride 497
 mortality 165, 174

mother age 342
motivation in elite athletes 637
motor axonal neuropathy 269
– features 115
mucous membrane 390
multidisciplinary hospitalist team 88
muscle development 322
muscular dysbalance 41
mutagenic effects 390
myelosuppression 390
myocardial performance index 77
myoelectrical activity 13

N

natal teeth 648
National Centre for Heart and Vessel
Disease 29
natural behaviour 619
nausea 332
necrosis 290, 575
negative pressure wound therapy 244
neoadjuvant radiochemotherapy 463
neonatal rats 663
– teeth 648
neoplasm 466, 619
neoplastic cells 428
neostigmine 309
nephrectomy 395, 676
nerve agents 539
nervus ischiadicus 475
neurohormone 425
neuronal NOS 18
neuropathy 269, 337
newborn 342, 648
nitric oxide synthases 18
non-alcoholic steatohepatitis 626
non-ischemic enterocolitis 463
non-linear analysis 120
non-small cell lung cancer 165
non-specific cough 102
non-surgical management 472
non-varicose bleeding 327
noradrenalin 52
norepinephrine 52
norfloxacin 353
nosocomial infections 273
nursing care 488
nutrition 235, 309, 610

O

obese active females 213
obesity 152, 213, 491
– paradox 402

obstructive sleep apnoea/hypopnoea
syndrome 125
oesophageal cancer 463
ofloxacin 200
older subjects 610
oldest patient 357
olecranon 501
oligoarthritis 355
one day surgery 572
open reduction 501
oral anticoagulant therapy 71, 441
– exposures 346
– manifestations of DM 416
– pemphigoid 591
orbital melanoma 466
– rhabdomyosarcoma 715
origin 80
oropharyngeal afferents 109
– dysphagia 102
orotracheal intubation 29
osteomyelitis 177
osteoporosis 41, 71, 605
osteoporotic patients 41
osteotomy 501
outpatient extra-corporeal shock wave
lithotripsy 380
ovalbumine-induced airways inflamma-
tion 670
ovarian tumors 579
ovariectomy 322
ovary 244
oviduct 244
oxidation stress 416
oxidative DNA damage 447
oxime reactivator 539

P

pancreas 287
pancreatic head adenocarcinoma 552
paraffinoma 653
parasuicide 346
parathyroid glands 695
parity 188
partial laryngectomy 115
– nephrectomy 676
passive avoidance 663
patient-reported outcome instruments
555
PDE inhibitors 131
pegylated alpha interferon 360
pelvic inflammatory disease 200
penile augmentation 653
– deformity 653

penile paraffinoma 653
penis 653
periodontitis 416
periodontological treatment 416
peripheral arterial occlusive disease 249
– complete blood count 575
– neuropathy 337
persistent median artery 292
pharmacist 88
pharmacogenetics 441
pharyngeal region 368
– stimulation 109
phosphodiesterase 131
physical therapy 204
physician 196
physiologic tests 34
physiotherapy 204
Pi class glutathione S-transferase 67
pilonidal disease 572
placenta 634
plasma element distribution 322
plasmapheresis 527
plastic surgery 686
platelet concentrate 29
platelet-rich plasma 655
pneumatosis intestinalis 463
pneumonectomy 165
polymorphism 260
polyphenols 9
polysaccharides 670
poor predictor 568
portomesenteric vein gas 463
positive end expiratory pressure 29
post-menopausal woman 353, 472
postoperative ileus 309
– nausea 332
postpyloric feeding 309
postraumatic infected talus necrosis 290
postural stability 701
prebiotics 161
predictors 568
predominantly breastfed children 517
pregnancy 244
– history 188
preimplantation embryo 25
– period 244
preliminary observations 136
pre-menopausal women 353
prenatal development 368
– factors 342
– testosterone 377
preoperative cardiovascular risk 453
– evaluation 170

- prescribing preferences 140
 pressure support 29
 –wound therapy 244
 primary therapy 579
 –total hip arthroplasty 497
 proangiogenic 428
 progenitor cells 428
 prokinetic therapy 309
 propofol 332, 380
 prostanoids 4, 8
 proximal approach 337
 –tubular damage 278
 psoriasis 390
 psychophysiological states in athletes 637
 psychosocial status 208
 pulmonary administration 29
 –arterial hypertension 614
 –regurgitation 679
 –fraction 679
 pulse pressure 562
 pulsed-wave Doppler 679
 pylorus 13
- Q**
- QT interval 353
 quercetin 9
- R**
- rabbit 136
 radiation therapy 586
 radiochemotherapy 463
 range of motion 204
 rare complication 463
 –tumors 466
 rat 52, 161, 235, 244, 314, 322, 425, 483, 545, 605, 663
 –brain 227
 –female genital organs 244
 –genital organs 244
 –model 539
 reactivity to mechanical stimulation 136
 receptor 9 polymorphism 260
 reconstructive surgery 686
 rectum 630
 relin 58
 rehabilitation 41, 154
 reinoblastoma 342
 remifentanil 380
 renal cancer 395
 –cell carcinoma 395
 –failure 385
 –proximal tubular damage 278
 reproductive age 200
- resectable pancreatic head adenocarcinoma 552
 respiratory distress 497
 resuscitation 92
 retinal vessels 143
 retrograde urethrography 530
 reverse epidemiology 402
 rhabdomyosarcoma 715
 rhamnogalacturonan 670
 rheumatoid arthritis 555
 ribavirin 360
 right ventricle 679
 –ventricular hypertrophy 614
 risk factor analysis 165
 –of pregnancy induced hypertension 188
 –perception 140
 roofer 407
 root canal irrigation 410
 rural population 491
- S**
- salivary cortisol 213
 –gland 260
 salt-wasting 651
 sarcoidosis 355
 sarin 539
 scintigraphy 695
 score of atherogenic risk 4, 8
 scoring system 200
 secondary hyperparathyroidism 385
 second-to-fourth digit length ratio 377
 selected biomarkers of age-related diseases 610
 selenium 314
 self-injection 653
 serious cardiovascular diseases 4, 8
 serotonin 52, 58
 serum 552
 –cystatin C 192
 –thymidine kinase 510
 –triglyceride 253
 shock wave lithotripsy 380
 sialolithiasis 260
 signal preprocessing 13
 skin 390
 SLE 29
 sleep disordered breathing 125
 small cell neuroendocrine carcinoma 80
 –dense LDL 4, 8
 –doses of morphium hydrochloride 497
 smoking 342
 solitary intrathyroid metastasis 395
 soluble immune mediators 208
- soman intoxication 539
 sounds production 120
 spatial learning 663
 spectral analysis 120, 125
 spermatogenesis 425
 spinal anesthesia 459
 spirulina 235
 spleen 287
 spontaneous abdomen 282
 –intraperitoneal perforation of urinary bladder 282
 –isolated dissection 407
 –traumatization 407
 standard deviation 679
 stem cell 296
 stenosis 13
 stereotactic surgery 466
 steroid injection 337
 Stevens Johnson syndrome 260
 S-transferase 67
 stroke 398
 stroma 368
 submandibular gland diseases 264
 subtotal parathyroidectomy 385
 superficial palmar arch 292
 superoxide dismutase 605
 supervised physiotherapy 204
 supracricoid laryngectomy 115
 surfactant 218
 surgical therapy of lung cancer 174
 –treatment 472, 619
 –ward 273
 swimming exercise 314, 322
 symmetrical oligoarthritis 355
 synchronous tumor 623
 systemic lupus erythematosus 29
 –therapy of psoriasis 390
- T**
- talus necrosis 290
 tamoxifen 353
 teeth 410
 Tei index 77
 teratogenic effects 390
 teratoma 357
 testes 425
 testosterone 377
 tetanus 469
 tetrafosmin 695
 tetralogy of Fallot 679
 TGF beta 1 318
 thalassemia 278
 thamus lymphaticus 368

722–728

thickness 318
thrombocyte 655
–gel 655
thymectoma 385
thymectomy 385
thymidine kinase 510
thymoma 586
thymus 368
–epithelialis 368
–gland 368
thyroid function test 355
–gland 395
tibio-calcaneal arthrodesis 290
time trends 174
tinnitus 63
tissue factor 29
– pathway inhibitor 29
TNBS-induced colitis 235
topographical features 475
topography 475
total hip arthroplasty 497
toxic epidermal necrolysis 260
toxin 363
toxocariasis 644
T-piece 512
trachea 136
TRAM flap 686
trans-annular patch 679
transfusion 575
transitory vessel 292
transverse myelitis 154
treatment of cough 102
trimedoxime 539
tubo-ovarian abscess 200
tubular damage 278
–degeneration 425

tumor 472, 579, 586, 619, 715
–angiogenesis 428
–of colon 630
– salivary gland 260
tunica media 18
type 2 diabetes 253

U

ulcer 447
–infection 177
ulcers of penis 653
ulnar artery 292
ultrasonographic placenta examination 634
ultrasonography 634
ultrasound 24, 170
university hospital 595
upper airways 120
–gastrointestinal system 327, 706
urban population 491
urethral stricture 530
urethrography 530
urge-to-cough 109
urinary bladder 282
–calcium 71
urine 52
urolithiasis 711
uterus 244, 472

V

vacuum assisted closure 249
varicose vein wall 18
various degree of cardiovascular risk 453
vascular endothelial growth factor 416
–surgery 249
–systems 143

vaseline 653
vegetarian nutrition 610
vein 18
–gas 463
ventricular function 77
vertebral fracture 41
vesical carcinoma 363
virilisation 651
visual activity 701
vitamin C 605
–K 71
voluntary suppression 109
vomiting 332

W

warfarin 71
wave lithotripsy 380
weaning 512
Wegeners granulomatosis 29
women 213
wound 469
–therapy 244
wrestling 637
wrist 337

X

X chromosome 360
xanthine derivatives 131

Y

Y chromosome 182

Z

zinc 425
zymography 435

Prepared by PhDr. H. Bernadicova

BRATISLAVA MEDICAL JOURNAL
BRATISLAVSKÉ LEKÁRSKE LISTY

Editor-in-Chief: Hulin I – Bratislava, Slovakia

Scientific Editors: Bartunek J, Aalst, Belgium, Bernadic M, Bratislava, Slovakia, Buckingham TA, St. Louis, USA, Durackova Z, Bratislava, Slovakia, Galbavy S, Bratislava, Slovakia, Hatala R, Bratislava, Slovakia, Kral A, Hannover, Germany, Labas P, Bratislava, Slovakia, Mirossay L, Kosice, Slovakia, Mladosiovicova B, Bratislava, Slovakia, Murin J, Bratislava, Slovakia, Nosalova G, Martin, Slovakia, Labas P, Bratislava, Slovakia, Simko F, Bratislava, Slovakia, Stanko P, Bratislava, Slovakia, Steno J, Bratislava, Slovakia, Ujhazy P, Boston, USA

Editorial Board: Ablin RJ, Park Ridge, USA, Bauer V, Bratislava, Slovakia, Blahos J, Prague, Czech Republic, Breza J, Bratislava, Bruhat MA, Clermont, France, Cattaneo A, Trieste, Italy, Chaitman BR, St. Louis, USA, Duris I, Bratislava, Slovakia, Ferencik M, Bratislava, Slovakia, Galvanek E, Boston, USA, Goehler LE, Charlottesville, USA, Iqbal K, New York, USA, Klimes I, Bratislava, Slovakia, Kodama I, Nagoya, Japan, Kovacs L, Szeged, Hungary, Kutalek S, Philadelphia, USA, Lauterbur PC, Urbana, USA, Macfarlane PW, Glasgow, UK, Mraz P, Bratislava, Slovakia, Musso E, Parma, Italy, Nadeau R, Montreal, Canada, Slezak J, Bratislava, Slovakia, Schubert E, Berlin, Germany, Schulz JI, Montreal, Canada, Steinbach K, Vienna, Austria, Titomir LI, Moscow, Russia, Toyama J, Nagoya, Japan, Traubner P, Bratislava, Slovakia

Assistant Editor: Bernadicova H

Proof Correction: Diederichova N, Navarcikova S, Sulkova I

Editorial Office: Bratislavské lekárske listy, Spitalska 24, SK-813 72 Bratislava 1, Slovakia

Phone/Fax: +421.2.52965400

Editor-in-Chief: +421.2.59357612

Email:

Editor-in-Chief: ivan.hulin@fmed.uniba.sk
Manuscripts should be sent: bl@fmed.uniba.sk

Electronic version: <http://www.BratislMedJ.sk>

www.bmj.sk

www.BratislLekListy.sk